



**RMS II Morning Report**  
**Rig: Deepwater Horizon**  
**19 Apr 2010**

Date: 20 Apr 2010  
 Time: 7:10 AM  
 Page: 1 of 28

<u>Craft</u>	<u>Job Description</u>	<u>Hours</u>
Assistant Engineer	Replace start air reciever PRV.	2.0
Work Done : 19 Apr 2010 - Doug Brown Tag(s): AIR ARCV 088 Tested start air reciever PRV 3A and in bad condition. Replaced with warehouse spare.  19 Apr 2010 - Doug Brown Tag(s): AIR ARCV 088 Parts Requested from ICS: -----		
	WATER FOUNTAINS, 180DAY PM, FILTERS	3.5
Work Done : 19 Apr 2010 - brent mansfield Tag(s): POTW FILT 001 REPLACED ALL LIVING QUARTERS FILTERS, RIG FLOOR (LAST MONTH), ECR AND BELOW KNUCKLE BOOM.  19 Apr 2010 - brent mansfield Tag(s): POTW FILT 001 Parts Requested from ICS: -----		
19 Apr 2010 - brent mansfield Tag(s): POTW FILT 001 Parts Requested from ICS: -----		
		<b>Total Hours: 5.50</b>
Crane Op	Daily Crane Inspection	3.0
Work Done : 19 Apr 2010 - micah sandell Tag(s): MTHL CRN 001 MTHL CRN 002 MTHL CRN 003 MTHL ENG 001 MTHL ENG 002 RISH OCRN 001 daily inspection ok		
		<b>Total Hours: 3.00</b>
Drilling	Mud Pump Log Book	1.0
Work Done : Carried out Mud Pump Log		

Confidential Treatment Requested by Transocean Holdings LLC

TRN-HCEC-00035561

CONFIDENTIAL

EXHIBIT # 933  
 WIT: \_\_\_\_\_

TRN-MDL-00077298



**RMS II Morning Report**  
**Rig: Deepwater Horizon**  
**19 Apr 2010**

Date: 20 Apr 2010  
Time: 7:10 AM  
Page: 2 of 28

<u>Craft</u>	<u>Job Description</u>	<u>Hours</u>
Drilling	Mud Pump Log Book	1.0
Work Done :	Carried out Mud Pump Log	
		<hr/> <b>Total Hours: 2.00</b>
Electrical	Replace F/S/R Switch on Milling Machine	1.0
Work Done :	19 Apr 2010 - jason cooley Tag(s): WMAC WMCH 001 RECEIVED SWITCH AND INSTALLED. TESTED WITH MECHANIC AND RETURNED TO SERVICE.	
	29 Mar 2010 - willard duffey Tag(s): WMAC WMCH 001 Parts Requested from ICS: -----	
	stbd crane-replace cooling fan motor	2.0
Work Done :	19 Apr 2010 - jason cooley Tag(s): MTHL CRN 002 REPORTING WORK DONE BY KEVIN ARMSTRONG. HE INSTALLED FAN AND TESTED ACCORDING TO HIS HAND OVER NOTES AND RETURNED IT TO SERVICE.	
	05 Apr 2010 - allen windham Tag(s): MTHL CRN 002 Parts Requested from ICS: -----	
	400 WATT HPS LIGHT BULBS NEEDED JC	1.0
Work Done :	19 Apr 2010 - jason cooley Tag(s): LHTG LTE 006 RECEIVED ALL 10 LAMPS FROM WAREHOUSE AND PUT THEM IN ELECTRICAL SHOP FOR USE.	
	16 Mar 2010 - jason cooley Tag(s): LHTG LTE 006 Parts Requested from ICS: -----	
	Calibrate High Voltage Tester	1.0
Work Done :	19 Apr 2010 - jason cooley Tag(s): WMAC ETE 001 RECEIVED TESTER FROM WAREHOUSE AND PUT IT BACK IN THE ELECTRICAL SHOP FOR USE.	
	LIGHT BULBS NEEDED JC	1.5



**RMS II Morning Report**  
**Rig: Deepwater Horizon**  
**19 Apr 2010**

Date: 20 Apr 2010  
Time: 7:10 AM  
Page: 3 of 28

<u>Craft</u>	<u>Job Description</u>	<u>Hours</u>
Work Done : 19 Apr 2010 - jason cooley Tag(s): LHTG LTE 005 received all parts for this job.		
05 Apr 2010 - willard duffey Tag(s): LHTG LTE 005 Received 2 boxes of lamps (icn 10013910) F20T12/CW/ALTO box of 30. Stored in Electrical Shop.		
04 Feb 2010 - jason cooley Tag(s): LHTG LTE 005 Parts Requested from ICS: -----		
	180 Day-Drawworks	1.0
Work Done : 19 Apr 2010 - chad murray Tag(s): DRHS DWKS 001 Just completed 180 day on the 20th of march.		
	SPM02-Switchboard-MCC-Service	1.5
Work Done : 11 Apr 2010 - daniel armstrong Tag(s): ELPD SWBD 016 Opened each cubicle and inspected interior. Noticed no issues with the cables or components, no hot spots or signs of heating. Rubber matting was cleaned and is in good order. Completed the Thermographic survey and saved to the desktop for trending purposes. Could not complete any megger checks due to operations.		
	SPM01-Switchboard-Inspection	11.0



**RMS II Morning Report**  
**Rig: Deepwater Horizon**  
**19 Apr 2010**

Date: 20 Apr 2010  
 Time: 7:10 AM  
 Page: 4 of 28

<u>Craft</u>	<u>Job Description</u>	<u>Hours</u>
Work Done : 19 Apr 2010 - chad murray Tag(s): ELPD SWBD 001 ELPD SWBD 003 ELPD SWBD 004 ELPD SWBD 005 ELPD SWBD 006 ELPD SWBD 007 ELPD SWBD 008 ELPD SWBD 002 ELPD SWBD 009 ELPD SWBD 013 ELPD SWBD 017	<p>1. Perform close, visual checks on the switchboard. Check every unit for operational faults, defects, meter functions, lamp outages, abnormal noise and any unsafe conditions . Check all access panels and doors on the switchboard to ensure that all fasteners are installed and they are secure. X</p> <p>2. If fitted, check and test ground detection system. X</p> <p>3. If fitted, check operation of ventilating fans. X</p> <p>4. Ensure that all HVAC units for switchgear spaces are operating properly. X</p> <p>5. Ensure that all required electrical safety and rescue equipment required in the spaces is present and in good condition.            A. Inspect the electrically non-conducting (dielectric) gloves located on switchgear/transformer room as per manufacturer recommendations." (HSE Manual - Section 4, Sub-Section 5.9, Paragraph 4.3) X</p> <p>6. Ensure that all appropriate warning and danger signs are posted at the entrances to the spaces. X</p> <p>7. Ensure that the floor and all rubber matting in the switchgear room is clean. Clean and/or mop as required. X</p>	3.0
Work Done : 19 Apr 2010 - chad murray Tag(s): ELPG GEN 010 Ran e-gen and checked all monitoring devices and a checked for correct operation.	SPM01-AC Generator-Checks	3.0
Work Done : 19 Apr 2010 - chad murray Tag(s): DRHS DWKS 002 Inspected all junction boxes, terminations and cables. Motor condition is very poor due to weather exposure.	SPM07-Drawworks-Inspection	2.0
Work Done : 19 Apr 2010 - chad murray Tag(s): ELPG GEN 010 Ran e-gen and checked all monitoring devices and a checked for correct operation.	SPM01-AC Generator-Checks	3.0



**RMS II Morning Report**  
**Rig: Deepwater Horizon**  
**19 Apr 2010**

Date: 20 Apr 2010  
Time: 7:10 AM  
Page: 5 of 28

<u>Craft</u>	<u>Job Description</u>	<u>Hours</u>
Electrical	SPM01-AC Generator-Checks	3.0
Work Done :	19 Apr 2010 - chad murray Tag(s): ELPG GEN 010 Ran e-gen and checked all monitoring devices and a checked for correct operation.	
	RPM 21 Day - Lighting System Maintenanc	2.0
Work Done :	09 Apr 2010 - rodney page Tag(s): LHTG LTE 002 Parts Requested from ICS: -----  09 Apr 2010 - daniel armstrong Tag(s): LHTG LTE 002 Parts Requested from ICS: -----  09 Apr 2010 - daniel armstrong Tag(s): LHTG LTE 002 RELAMPED AND RE-BALLEST LIGHTS IN THE CO2 ROOM UNDER RISOR SKATE.	
	<b>Total Hours:</b>	<b>33.00</b>
Electronics	Relocate The Camera And Emergency Lights	12.0



**RMS II Morning Report**  
**Rig: Deepwater Horizon**  
**19 Apr 2010**

Date: 20 Apr 2010  
 Time: 7:10 AM  
 Page: 6 of 28

<u>Craft</u>	<u>Job Description</u>	<u>Hours</u>
Work Done :	EMPAC WORK ORDER NO : 8709-001724-000 DATE UPDATE DUE TO INSTALL RMS 07/11/2009 12:23:58 GENE FREVELE AS PER ELECSUPER CHANGED DATE.EMPAC WORK ORDER NO : 8709-001724-000 DATE CHANGE 2 07/12/2009 14:10:20 TOM LEDDY CHANGED DATE REQUIRED DUE TO WAITING ON RIG FLOOR ACCESS FOR THIS PROJECT. EMPAC WORK ORDER NO : 8709-001724-000 UPDATE 05/15/2009 12:16:43 M WILLIAMS  RECIEVED NEW J-BOX AND INSTALLED GLANDS AND DIN RAILS. J-BOX IS IN ELECTRIC SHOP WAITING FOR WELDER TO MOUNT IT UNDER THE CONVEYOR AND INSTALL A NEW PENETRATION THRU THE DECK. EMPAC WORK ORDER NO : 8709-001724-000 DATE CHANGE 05/15/2009 17:16:56 S CARDEN  DATE CHANGED. WAITING TO GROW ON THE WELDERS PRIORITY LIST. PARTS ARE READY TO INSTALL.19 Apr 2010 - stanley carden Tag(s): COMM ALRM 001 Looks like this job may not get done due to engineering problems. We have everything needed to complete if everything gets corrected.  22 Mar 2010 - brandon washam Tag(s): COMM ALRM 001 I cut plate to match the other plate. Cleaned it up with grinder and gave to mechanics to drill hole with mill.  19 Mar 2010 - william terrell Tag(s): COMM ALRM 001 Found J-BOX For connection of lights and Camera. Will be getting it ready to mount to have ready for this project.	
	<b>Total Hours:</b>	<b>12.00</b>
Marine	RPM 30 Day - Inventory Check Of Spill	3.1
Work Done :	19 Apr 2010 - DavidW Young Tag(s): EVNS SEQT 001 Inspection completed by J.Simmons. All found to be in good order.	
	RPM 30 Day - Fire / Trauma Blankets Ch	2.1
Work Done :	19 Apr 2010 - DavidW Young Tag(s): FFS SEQT 001 Inspection completed by J.Simmons All found to be in good order	



**RMS II Morning Report**  
**Rig: Deepwater Horizon**  
**19 Apr 2010**

Date: 20 Apr 2010  
Time: 7:10 AM  
Page: 7 of 28

<u>Craft</u>	<u>Job Description</u>	<u>Hours</u>
Marine	30 Day-Sprinkler System	1.1
Work Done :	19 Apr 2010 - DavidW Young Tag(s): FFS FWS 002 Inspection completed by S.Richards All found to be in good order. Tank holding pressure Pop-Off on tank due for inspection	
	RPM 90 Day Line Throwing Gear Test - M	0.4
Work Done :	19 Apr 2010 - DavidW Young Tag(s): SFTY SEQT 013 Inspection completed by S. Richards. All found to be in good order.	
	30 Day-Life Saving Bouy Unit	1.1
Work Done :	19 Apr 2010 - DavidW Young Tag(s): SFTY LFBY 001 Inspection completed by S. Richards. All in good order. Annual battery change out completed. Expiration date of batteries is now 3-2012	
<b>Total Hours:</b>		<b>7.80</b>
Mechanical	REBUILD #4 RIG AIR COMPRESSOR VALVES	4.0
Work Done :	19 Apr 2010 - michael glendenning Tag(s): AIR COMP 014 04-19-10-MIKE GLENDENNING-ISOLATED AIR AND ELECTRICAL ENERGY AS REQUIRED, BLED OFF EXCESS AIR PRESSURE, REMOVED SHUTTLE VALVES, DISMANTLED VALVES, INSPECTED AND CLEANED ALL PARTS AS NECESSARY, INSTALLED NEW SEALS AND O-RINGS, REINSTALLED VALVES, DEISOLATED ELECTRICAL ENERGY AND PRESSURE VALVES, TEST RAN COMPRESSOR FOR PROPER OPERATION, COMPRESSOR IS NOW OPERATING PROPERLY.	
	SPM01-Air Winch Non Man Riding-Service	3.0
Work Done :	19 Apr 2010 - will jernigan Tag(s): RST UWIN 001 greased , checked cable , air supply valve , brakes , controls and all bolts and foundation  19 Apr 2010 - will jernigan Tag(s): BOPH UWIN 002 greased , checked cable , air supply valve , brakes , controls and all bolts and foundation  19 Apr 2010 - will jernigan Tag(s): BOPH UWIN 001 greased , checked cable , air supply valve , brakes , controls and all bolts and foundation	
	knuckle boom	1.0



**RMS II Morning Report**  
**Rig: Deepwater Horizon**  
**19 Apr 2010**

Date: 20 Apr 2010  
 Time: 7:10 AM  
 Page: 8 of 28

<u>Craft</u>	<u>Job Description</u>	<u>Hours</u>
Work Done :	19 Apr 2010 - will jernigan Tag(s): MTHL CRN 003 replaced male QD on knuckle boom arm.	
	19 Apr 2010 - will jernigan Tag(s): MTHL CRN 003 Parts Requested from ICS: -----	
	Inspect upper trolley guide cc	2.0
Work Done :	19 Apr 2010 - Charles Cochran Tag(s): RISH OCRN 001 Inspected upper trolley guides retorqued bolts and retie wired boltes.	
		<b>Total Hours: 10.00</b>
Motorman	Daily Machinery Report	1.0
Work Done :	Carried out Daily Machinery Report	
		<b>Total Hours: 1.00</b>
		<b>Total Hours Recorded: 74.30</b>

**All Downtime Reports have been closed out.**

<u>Audit Date</u>	<u>Title</u>	<u>Total Items</u>	<u>In Progress Items</u>	<u>Open Items</u>	<u>Lead Auditor</u>
10 Sep 2009	Capital Assets Identification	0	0	0	Julia Chagova
18 Feb 2010	Personnel Elevator	0	0	0	Bo Waits

<u>Title</u>	<u>Bulletin Type</u>	<u>Issued Date</u>	<u>Bulletin Job</u>	<u>Job Status</u>
2" DM Type 5K Gate Valve Failure	Maintenance Bulletin	03 Jan 2010	No Job Created	
BOP Control System Ball Valve Failures	Maintenance Bulletin	06 Apr 2010	No Job Created	
Crane Boom Camera System	Maintenance Bulletin	19 Apr 2010	No Job Created	
Drill Line Dead-End Connector Standard	Maintenance Bulletin	13 Jan 2010	No Job Created	
Dropped Casing Latch Assembly	Maintenance Bulletin	14 Dec 2009	Inspect Fingerboard Latches	Complete

Confidential Treatment Requested by Transocean Holdings LLC

TRN-HCEC-00035568



**RMS II Morning Report  
Rig: Deepwater Horizon**

Date: 20 Apr 2010  
Time: 7:10 AM  
Page: 9 of 28

19 Apr 2010

<u>Title</u>	<u>Bulletin Type</u>	<u>Issued Date</u>	<u>Bulletin Job</u>	<u>Job Status</u>
Dropped Deflector Bar	Maintenance Bulletin	14 Sep 2009	Insp Derrick Hose Deflector & Bumper Bar	Complete
Dropped Object From Elevator	Maintenance Bulletin	14 Dec 2009	Elevator Insert Retention Inspection	Complete
Encoder Housing Water Ingress	Maintenance Advisory	05 Apr 2010	HQS-OPS-ADV-PRS-006	Not Started
Equipment Hours In RMS	Maintenance Advisory	13 Apr 2010	No Job Created	
Fail Claw On PRS-4i Lifting Jaw Assembly	Maintenance Bulletin	08 Jan 2010	PRS Inspection	Complete
Fire Extinguisher Recall	Maintenance Advisory	17 Dec 2009	Inspect Kidde Fire Extinguishers	Complete
Fuel And Lubricating Oil Lines On Engine	Product Bulletin	16 Mar 2010	3216S064GB	In Progress
HP Piping Guideline Inspection	Product Bulletin	18 Sep 2009	No Job Created	
Liebherr Crane Main Hook Dead End Pin	Maintenance Advisory	13 Sep 2009	Upper Block Inspection	Complete
Maintenance And Repair Of Fairlead Equip	Maintenance Bulletin	13 Apr 2010	No Job Created	
MCC Lock-Out / Tag-Out For Maintenance	Maintenance Advisory	18 Mar 2010	HQS-OPS-ADV-MCC-001	Not Started
NAM QUick Share Beihai BD-AR106S Lifcbt	Marine Bulletin	15 Apr 2010	HQS-OPS-EAL-BOAT-007	Complete
Ruffnek MUX Connector	Maintenance Bulletin	29 Dec 2009	Seacon Ruffnek Mux Connector Test	Complete
SDXL Type Hand Slip Failures	Maintenance Bulletin	15 Apr 2010	HQS-OPS-AL-04	Not Started
TD Load Carry Comp Care, Hand Inspec	Product Bulletin	13 Apr 2010	No Job Created	

<u>Certificate</u>	<u>Agency</u>	<u>Renewal Date</u>	<u>Days Overdue</u>
Liferaft Annual Certificate	Transocean	02 Dec 2009	139
Liferaft Annual Certificate	Transocean	02 Dec 2009	139
Liferaft Annual Certificate	Transocean	15 Jan 2010	95
Liferaft Annual Certificate	Transocean	15 Jan 2010	95
Liferaft Annual Certificate	Transocean	15 Feb 2010	64
Liferaft Annual Certificate	Transocean	19 Feb 2010	60

Confidential Treatment Requested by Transocean Holdings LLC

TRN-HCEC-00035569



**RMS II Morning Report**  
**Rig: Deepwater Horizon**  
**19 Apr 2010**

Date: 20 Apr 2010  
Time: 7:10 AM  
Page: 10 of 28


**Priority: High**

<u>Job Description</u>	<u>Job Number</u>	<u>Craft</u>	<u>Start Date</u>	<u>Schedule Date</u>	<u>Days Since Part Request</u>
Replace regulators in dampers & bulk	1550038101552	Marine	22 Oct 2009	22 Jan 2009	453
Parts: REGULATOR, FILTER/LUBRICATOR 3-IN-1 1/4				FR: 5121010577	
REGULATOR, FILTER/LUBRICATOR 3-IN-1 1/4				FR: 5121010577	
<u>Job Description</u>	<u>Job Number</u>	<u>Craft</u>	<u>Start Date</u>	<u>Schedule Date</u>	<u>Days Since Part Request</u>
NUTS,BOLTS,PIPE FITTING ORDER FO	1550038101627	Mechanical	24 Oct 2009	24 Oct 2009	178
Parts: BUSHING, REDUCER, HEX, 3/8" NPTM X 1/4"				FR: 5121010611	
ELBOW, 90 DEG, 1/4" NPT, 3000 LB (SCH 80				FR: 5121010611	
ELL, PIPE STREET BLK STD 1/8"NPT 90DEG				FR: 5121010611	
<u>Job Description</u>	<u>Job Number</u>	<u>Craft</u>	<u>Start Date</u>	<u>Schedule Date</u>	<u>Days Since Part Request</u>
Replace shaft seal on #1 BLST PMP	1550038102170	Assistant Engineer	06 Nov 2009	06 Nov 2009	165
Parts: RING, TEFLON				FR: 5121011114	
O-RING CAC250-15 AAN V48 PUMP				FR: 5121011114	
O-RING CAC250-15 AAN V48 PUMP				FR: 5121011114	
SLEEVE, SHAFT, FOR KVAERNER EUREKA CENTR				FR: 5121011114	
COVER, BEARING				FR: 5121011115	
O-RING CAC250-15 AAN V48 PUMP				FR: 5121011114	
RING, TEFLON				FR: 5121011114	
CAPSCREW, HEXHEAD, M16 X 45, FOR BILGE B			** Cancelled **	FR: 5121011081	



**RMS II Morning Report**  
**Rig: Deepwater Horizon**  
**19 Apr 2010**

Date: 20 Apr 2010  
Time: 7:10 AM  
Page: 11 of 28



Confidential Treatment Requested by Transocean Holdings LLC

TRN-HCEC-00035571

CONFIDENTIAL

TRN-MDL-00077308



# RMS II Morning Report

## Rig: Deepwater Horizon

19 Apr 2010

Date: 20 Apr 2010

Time: 7:10 AM

Page: 12 of 28

**Priority: Medium**


<u>Job Description</u>	<u>Job Number</u>	<u>Craft</u>	<u>Start Date</u>	<u>Schedule Date</u>	<u>Days Since Part Request</u>
Rebuild SW service pump #2	1550038100134	Assistant Engineer	25 Sep 2009	25 Sep 2009	207
<b>Parts:</b> CUP, FLUID SEALING CAC250-15 AAN V48 PUM				FR: 5121010362	
SLEEVE, SHAFT, DRAWING # SU S2642001 VER				FR: 5121010362	
SEAL, MECHANICAL, LEFT, FOR SALT WATER S				FR: 5121010362	
RING, WEAR, FOR SALT WATER SERVICE PUM				FR: 5121010362	
NUT, LOCK, SIZE M12, FOR TYPE CB CENTRIF				FR: 5121010362	
RING, DISTANCE, DRAWING SU S2642001 VERT				FR: 5121010362	
CONE, CASING, DRAWING SU S2642001 VERTIC				FR: 5121010362	
O-RING, FOR SALT WATER SERVICE PUMP, KVE				FR: 5121010362	
STUD, M12 X 130 8.8 EZN, FOR TYPE CB CEN				FR: 5121010362	
DISC, DEFLECTOR, FOR SEAWATER SERVICE PUM				FR: 5121010362	
GASKET, FOR SALT WATER SERVICE PUMP				FR: 5121010362	
O-RING, FOR SALT WATER SERVICE PUMP, KVE				FR: 5121010362	
SEAL, MECHANICAL, RIGHT, FOR SALT WATER				FR: 5121010362	

<u>Job Description</u>	<u>Job Number</u>	<u>Craft</u>	<u>Start Date</u>	<u>Schedule Date</u>	<u>Days Since Part Request</u>
REBUILD SW SERVICE PUMP #3	1550038101989	Assistant Engineer	12 Mar 2010	03 Nov 2009	168
<b>Parts:</b> CUP, FLUID SEALING CAC250-15 AAN V48 PUM				FR: 5121010699	
KEY, COUPLING				FR: 5121010699	
SLEEVE, SHAFT, DRAWING # SU S2642001 VER				FR: 5121010699	
RING, WEAR, FOR SALT WATER SERVICE PUMP,				FR: 5121010699	
NUT, LOCK, SIZE M12, FOR TYPE CB CENTRIF				FR: 5121010699	
RING, DISTANCE, DRAWING SU S2642001 VERT				FR: 5121010699	
CONE, CASING, DRAWING SU S2642001 VERTIC				FR: 5121010699	
O-RING, FOR SALT WATER SERVICE PUMP, KVE				FR: 5121010699	
KEY, IMPELLER				FR: 5121010699	
STUD, M12 X 130 8.8 EZN, FOR TYPE CB CEN				FR: 5121010699	
PIN, PARALLEL				FR: 5121010699	
SHAFT, PUMP				FR: 5121010699	
SEAL, OIL, HAMWORTHY KSE/KVAERNER EUREKA				FR: 5121010699	
DISC, DEFLECTOR, FOR SEAWATER SERVICE PUM				FR: 5121010699	
SLEEVE, BRONZE, FOR SEAWATER SERVICE PUM				FR: 5121010699	
GASKET, FOR SALT WATER SERVICE PUMP				FR: 5121010699	
COVER, CASING CONE POS 13 C22BA SEA WATE				FR: 5121010699	
O-RING, FOR SALT WATER SERVICE PUMP, KVE				FR: 5121010699	



**RMS II Morning Report**  
**Rig: Deepwater Horizon**  
**19 Apr 2010**

Date: 20 Apr 2010  
Time: 7:10 AM  
Page: 13 of 28



Priority: Low

High Priority: 76      Medium Priority: 21      Low Priority: 18

<u>Craft</u>	<u>Job Description</u>	<u>Days</u>	<u>Overdue</u>	<u>Overdue Reason</u>
<b>Priority: High</b>				
<b>Other Maintenance</b>				
Assistant Engineer	3216S064GB		35	
<b>Planned Maintenance</b>				
Assistant Engineer	SPM05-Thruster-Service		121	
	SPM04-Main Engine-Checks		119	

Confidential Treatment Requested by Transocean Holdings LLC

TRN-HCEC-00035573

CONFIDENTIAL

TRN-MDL-00077310



**RMS II Morning Report**  
**Rig: Deepwater Horizon**  
**19 Apr 2010**

Date: 20 Apr 2010  
 Time: 7:10 AM  
 Page: 14 of 28

<u>Craft</u>	<u>Job Description</u>	<u>Days</u>	
		<u>Overdue</u>	<u>Overdue Reason</u>
Assistant Engineer	SPM04-Main Engine-Checks	119	
	SPM04-Main Engine-Checks	118	
	SPM04-Main Engine-Checks	118	
	SPM04-Main Engine-Checks	118	
	SPM02-PRV-Service	97	
	365 Day-Fluid Sample	68	
	SPM02-PIPE-LT Main Engine-Pressure Test	64	
	365 Day-Hydraulic Power Unit	57	
	365 Day-Hydraulic Power Unit	55	
	SPM02-Thruster-Lubrication	51	
	SPM 90 Day Maintenance	51	
	SPM01-Accumulator-Check	39	
	SPM01-Heat Exchanger-Inspection	37	
	SPM01-Heat Exchanger-Inspection	37	
	<b>Corrective Maintenance</b>		
Assistant Engineer	REPLACE RIG SAVER GASKETS ON MGE6	166	
	Replace shaft seal on #1 BLST PMP	165	
	REPAIR WTD C204, STBD FWD 02 LEVEL	140	Waiting for rebuilt part (hydraulic cylinder) to return to rig.
	REPAIR FO TUBING, MGE1	97	
	#7 THR FW EXPANSION TANK LOW LEVEL SWITC	96	
	MGE #4 Expansion TK Gauge Glass	89	
	WTD 03 LEVEL, PORT AFT, PRESSURE SWITCH	89	
	REPAIR OVERSPEED ON #4 MAIN ENGINE/MD	87	
	Parts to rebuild FO pumps	74	
	Clean and reset oil mist detectors	64	
	main engines-send jerk pump for repair	51	
	Chem order	36	
	<b>Priority: Medium</b>		
<b>Planned Maintenance</b>			
Assistant Engineer	RPM 365 Day - Internal Tank Inspectio	755	Tanks need to be cleaned out for inspection before this can take place. We are hoping to have this accomplished during our UWILD survey period.
	SPM02-TANK-Fuel Oil Storage-Inspection	96	
	SPM08-Pressure Set-Fluid Sample	68	



# RMS II Morning Report

## Rig: Deepwater Horizon

### 19 Apr 2010

Date: 20 Apr 2010

Time: 7:10 AM

Page: 15 of 28

<u>Craft</u>	<u>Job Description</u>	<u>Days</u>	
		<u>Overdue</u>	<u>Overdue Reason</u>
Assistant Engineer	SPM01-TANK-Fuel Oil Service-Inspection	66	
	SPM03-ACU-Air Cooled-Service	62	
	SPM04-ACU-Water Cooled-Inspection	62	
	180 Day-Filter, Pot Water Inline Fixed	61	
	SPM01-Air Conditioner Unit-Service	37	
	SPM01-Air Conditioner Unit-Service	37	
	SPM01-TANK-Fuel Oil Service-Inspection	36	
	SPM01-PMP-Centrifugal-Lubrication	34	
<b>Corrective Maintenance</b>			
Assistant Engineer	Rebuild SW service pump #2	207	
	REBUILD SW SERVICE PUMP #3	168	
	Water Testing	76	
	Clean tanks	75	
	Replace #2 Main SW pump suction	63	
<b>Priority: Low</b>			
<b>Planned Maintenance</b>			
Assistant Engineer	RPM 180 Day - Tank Sounding - 1 A/E /	162	
	SPM02-Air Handling Unit-Service	97	
	SPM02-TANK-Hull & Structure-Inspection	96	
	SPM02-PMP-Screw & Gear-Checks	58	
	SPM01-TANK-Hull & Structure-Inspection	41	
	SPM01-Instrumentation-Generic-Inspection	37	
<b>Corrective Maintenance</b>			
Assistant Engineer	Cleaning Thruster/Machinery Spaces	68	
	Tools for #1 cage	31	
<b>Priority: High</b>			
<b>Planned Maintenance</b>			
Chief/Rig Engineer	RPM 1825 Day - Auxillary Fresh Water C	257	
	RPM 730 Day - Testing Of Relief Valves	239	
	SPM04-PMP-Centrifugal-Inspection	97	
	SPM01-PMP-Screw & Gear-Inspection	97	
	SPM01-PMP-Screw & Gear-Inspection	97	

Confidential Treatment Requested by Transocean Holdings LLC

TRN-HCEC-00035575

CONFIDENTIAL

TRN-MDL-00077312



# RMS II Morning Report

## Rig: Deepwater Horizon

19 Apr 2010

Date: 20 Apr 2010

Time: 7:10 AM

Page: 16 of 28

<u>Craft</u>	<u>Job Description</u>	<u>Days</u>	
		<u>Overdue</u>	<u>Overdue Reason</u>
Chief/Rig Engineer	SPM04-PMP-Centrifugal-Inspection	97	
	SPM01-PMP-Screw & Gear-Inspection	97	
<b>Corrective Maintenance</b>			
Chief/Rig Engineer	Sm - Spare Pmg (Permanent Magnetic Gener	201	
	Replace the plate gaskets on cooler	141	
	24000 HR Engine PM Parts	110	
	Wartsila Service Tech for 24K PM on 1&4	110	
	Repair And Return Governor Actuators	78	
	Remove and replace F.O. line on MGE#5	32	
<b>Priority: Medium</b>			
<b>Planned Maintenance</b>			
Chief/Rig Engineer	RPM 365 Day - Internal Tank Inspectio	390	
	RPM 365 Day - Internal Tank Inspectio	277	
	RPM 365 Day - Internal Tank Inspectio	268	
	RPM 365 Day - Pump Relief Valve Inspec	239	
	RPM 365 Day - Pump Relief Valve Inspec	239	
	RPM 365 Day - Abs Test Pump Relief Val	239	
	RPM 365 Day - Sperre Compressor Servic	199	
	RPM 180 Day - Swbd Ac Units (8 Total)	158	
	RPM 365 Day - Water Heater Flush Out/I	157	
	SPM02-Air Dryer-Overhaul	97	
	RPM 365 Day - Sperre Compressor Servic	71	
	RPM 90 Day - D O X-Fer Pumps (All 4)	69	
	RPM 365 Day - Rchardening Filter Check	69	
	RPM 365 Day - Dechlorinator Unit Check	69	
<b>Corrective Maintenance</b>			
Chief/Rig Engineer	Ordering metric flanges for pump rooms	76	
<b>Upgrade Maintenance</b>			
Chief/Rig Engineer	2008 Project - Sw Pump Rotor Unit For Di	201	
<b>Priority: Low</b>			
<b>Planned Maintenance</b>			
Chief/Rig Engineer	RPM 365 Day - Abs Transfer Pumps Check	273	

Confidential Treatment Requested by Transocean Holdings LLC

TRN-HCEC-00035576

CONFIDENTIAL

TRN-MDL-00077313



**RMS II Morning Report**  
**Rig: Deepwater Horizon**  
**19 Apr 2010**

Date: 20 Apr 2010  
Time: 7:10 AM  
Page: 17 of 28

<u>Craft</u>	<u>Job Description</u>	<u>Days</u>	
		<u>Overdue</u>	<u>Overdue Reason</u>
Chief/Rig Engineer	RPM 365 Day - Abs Transfer Pumps Check	273	
	RPM 365 Day - Abs Transfer Pumps Check	273	
	RPM 365 Day - Abs Transfer Pumps Check	239	
	SPM02-Air Dryer-Overhaul	97	
	SPM02-Air Dryer-Overhaul	97	
	SPM02-Air Dryer-Overhaul	97	
<b>Priority: High</b>			
<b>Corrective Maintenance</b>			
Crane Op	Remove Seal And Overhead Glass In Crane	170	
	Crane bolts for spelter sockets	110	
<b>Upgrade Maintenance</b>			
Crane Op	sling order	162	
<b>Priority: Low</b>			
<b>Corrective Maintenance</b>			
Crane Op	Order mail bags	38	
<b>Priority: High</b>			
<b>Other Maintenance</b>			
Drilling	3rd party to inspect auto IBOP tiano	51	
<b>Corrective Maintenance</b>			
Drilling	Send In Auto Ibob Due To Failing Inspect	110	Awaiting Parts
	KELLY HOSE GASKET	86	
	REPLACE BROKEN MICS TO HANDHELD'S	39	
<b>Priority: Medium</b>			
<b>Other Maintenance</b>			
Drilling	ORDER DISCHARGE SCREEN FOR MUD PUMPS	131	Awaiting on parts.
<b>Planned Maintenance</b>			

Confidential Treatment Requested by Transocean Holdings LLC

TRN-HCEC-00035577

CONFIDENTIAL

TRN-MDL-00077314



**RMS II Morning Report**  
**Rig: Deepwater Horizon**  
**19 Apr 2010**

Date: 20 Apr 2010  
Time: 7:10 AM  
Page: 18 of 28

<u>Craft</u>	<u>Job Description</u>	<u>Days</u> <u>Overdue</u>	<u>Overdue Reason</u>
Drilling	SPM01-TANK-Mud Process Pits-Inspection	67	
	SPM01-TANK-Mud Process Pits-Inspection	37	
<b>Corrective Maintenance</b>			
Drilling	CHANGE OUT FLOW LINE VALVES	36	
	REPLACE FLANGE ASSEMBLY	130	Awaiting Parts
	ORDER DISCHARGE STRAINERS	55	
	Replace stud on lockdown dog on 4 shaker	32	
<b>Priority: Low</b>			
<b>Corrective Maintenance</b>			
Drilling	Need to replace broke hand tools.	43	
<b>Priority: High</b>			
<b>Non Maintenance</b>			
Electrical	ANNUAL CERTIFICATION FOR PERSONNEL ELEVA	243	
<b>Planned Maintenance</b>			
Electrical	SPM12-Main Engine-Checks	220	
	SPM12-Main Engine-Checks	265	
	SPM12-Main Engine-Checks	266	
<b>Corrective Maintenance</b>			
Electrical	T/S multi-cable transit in SA UT -Muisse	185	
	Hqs-Ops-Adv-948-003 - National Oilwell V	111	
	ABB Motor Specialist for T-2	79	
	REPLACE BATTERIES IN UPS FOR SWBD #6 JC	78	
	PORTABLE LIGHT NEEDED. JC	68	
	band cable on adcp J-box	55	
	REPLACE BATTERIES * SEE NOTES * JC	40	
<b>Priority: Medium</b>			
<b>Other Maintenance</b>			
Electrical	HQS-OPS-ADV-MCC-001	33	



**RMS II Morning Report**  
**Rig: Deepwater Horizon**  
**19 Apr 2010**

Date: 20 Apr 2010  
 Time: 7:10 AM  
 Page: 19 of 28

<u>Craft</u>	<u>Job Description</u>	<u>Days Overdue</u>	<u>Overdue Reason</u>
<b>Planned Maintenance</b>			
Electrical	SPM04-Switchboard-Inspection	97	
	SPM02-Switchboard-MCC-Service	97	
<b>Corrective Maintenance</b>			
Electrical	2008 Project - Maintenance Department Wo	113	
	Order Fans For The Rig Floor **See Notes	111	
	REPAIR RESERVE MUD TANK AGITATOR MOTORS	65	
<b>Upgrade Maintenance</b>			
Electrical	2009 Project - Replacement Dc Power Capa	111	
<b>Priority: Low</b>			
<b>Corrective Maintenance</b>			
Electrical	CALIBRATE MILLIOHM METER JC	39	
<b>Priority: High</b>			
<b>Corrective Maintenance</b>			
Electrical Supervisr	Fugro tech and rental unit for ADCP		51 Our unit is not repairable and the asset manager expects to put a new unit on the 2011 budget. We will have to continue to pay rent against this job until a new unit is obtained.
<b>Priority: Low</b>			
<b>Corrective Maintenance</b>			
Electrical Supervisr	Nced to order computer	118	
<b>Priority: High</b>			
<b>Planned Maintenance</b>			
Electronics	SPM05-CTRU-Fire Detection-Ft Test	83	



**RMS II Morning Report**  
**Rig: Deepwater Horizon**  
**19 Apr 2010**

Date: 20 Apr 2010  
 Time: 7:10 AM  
 Page: 20 of 28

<u>Craft</u>	<u>Job Description</u>	<u>Days</u> <u>Overdue</u>	<u>Overdue Reason</u>
<b>Corrective Maintenance</b>			
Electronics	Safety-Install safety clamps on cctv cam	146	
	Send module in for repair and return	145	
	Rig Move - Investigate Cause For Flashin	110	
	Rcpair load reading on stbd cranc main	109	
	Return and repair EX-285 camera	79	
	Troubleshoot & Repair ASH-172818	72	
	Troubleshoot & Repair ASH-172E18	72	
	Install smoke detector in ROV Work Van	69	
	Crane load cell repair and return	53	
	Relpace Pressure Transducer.	48	
<b>Priority: Low</b>			
<b>Planned Maintenance</b>			
Electronics	SPM06-Server Pack-Service	32	
<b>Corrective Maintenance</b>			
Electronics	Trouble Shoot Repair Brine Valves	110	
<b>Priority: Medium</b>			
<b>Corrective Maintenance</b>			
HSE/STC	Rebuild SW service Pump #4	207	
<b>Priority: High</b>			
<b>Non Maintenance</b>			
Marine	ABS Annual Inspection Fees	470	
	Order Aerial flares	109	
<b>Planned Maintenance</b>			
Marine	SPM04-STRU-Semi-Submersible-Inspection	51	
	SPM04-STRU-Semi-Submersible-Inspection	51	



**RMS II Morning Report**  
**Rig: Deepwater Horizon**  
**19 Apr 2010**

Date: 20 Apr 2010  
Time: 7:10 AM  
Page: 21 of 28

<u>Craft</u>	<u>Job Description</u>	<u>Days</u>	
		<u>Overdue</u>	<u>Overdue Reason</u>
Marine	SPM04-STRU-Semi-Submersible-Inspection	51	
	SPM04-STRU-Semi-Submersible-Inspection	51	
<b>Corrective Maintenance</b>			
Marine	Replace regulators in dampers & bulk	453	
	Replace door closers on doors	81	
	Order Gaskets for HiPap	51	
<b>Priority: Medium</b>			
<b>Other Maintenance</b>			
Marine	Replacement Hoses & TODO Valves - Rebill	42	
<b>Planned Maintenance</b>			
Marine	SPM02-Bulk Storage Tank-Inspection	97	
	SPM02-Bulk Storage Tank-Inspection	97	
	SPM02-Bulk Storage Tank-Inspection	70	
	SPM02-Bulk Storage Tank-Inspection	70	
<b>Priority: High</b>			
<b>Planned Maintenance</b>			
Mechanical	365 Day-Deck Crane Ndt	104	
	365 Day-Deck Crane Ndt	104	
	RPM 180 Day Ndt Inspection - Use Dye P	64	
	365 Day-Drawworks Ndt	62	
	RPM 30 Day D O C Survey Mechanic	45	
<b>Corrective Maintenance</b>			
Mechanical	Order And Install New Lanyards For Jaws	201	
	NUTS,BOLTS,PIPE FIITTING ORDER FOR RIG	178	
	order metal for welders JI	113	
	Repair Spare Positioner Assembly	110	
	R&R BASE OIL VALVE PORT FOR "1" LEVEL	79	
	stbd crane-replace slew bolts	51	
	Casing rotator-replace aft hyd motor	51	
	port crane-slew ring bolts	51	
	ORDER BOLTS,NUTS,WASHERS REPLENISH RIG	40	



**RMS II Morning Report**  
**Rig: Deepwater Horizon**  
**19 Apr 2010**

Date: 20 Apr 2010  
Time: 7:10 AM  
Page: 22 of 28

<u>Craft</u>	<u>Job Description</u>	<u>Days</u>	<u>Overdue</u>	<u>Overdue Reason</u>
Mechanical	NUTS,BOLTS,PIPE FITTING ORDER FOR RIG		34	
<b>Priority: Medium</b>				
<b>Corrective Maintenance</b>				
Mechanical	Replace 2nd stage relief valve j.i		54	
	REPLACE VLV ON STAGE 2		115	
<b>Priority: High</b>				
<b>Corrective Maintenance</b>				
Mechanical Superv.	Rebuild and return linear actuator		152	
<b>Priority: Low</b>				
<b>Non Maintenance</b>				
Medic	New Tvs for Clinic, Captain, RSTC		38	
	Respiratory fit testing		32	
<b>Corrective Maintenance</b>				
Medic	ORDERING HOSPITAL SUPPLIES		100	
<b>Priority: High</b>				
<b>Corrective Maintenance</b>				
Toolpusher	SEND IN 9 1/2" D.C. FOR INSPECTION		145	
<b>Priority: Low</b>				
<b>Corrective Maintenance</b>				
Toolpusher	2010 Project - Change Out Exhausted Spoo		110	NEED TO EXTEND OUT DUE DATE SO JOB DOES NOT COME UP AS OVER DUE WHILE WAITING ON NEW SPOOL TO ARRIVE.



# RMS II Morning Report

## Rig: Deepwater Horizon

19 Apr 2010

Date: 20 Apr 2010

Time: 7:10 AM

Page: 23 of 28

<u>Craft</u>	<u>Job Description</u>	<u>Days</u>	<u>Overdue</u>	<u>Overdue Reason</u>
<b>Priority: High</b>				
<b>Non Maintenance</b>				
Welder	TOOLS AND SUPPLY NEEDED FOR WELDER	32		
<b>Corrective Maintenance</b>				
Welder	Need Pegs On Wall For Rams	201		
	Fab brackets for IALA antennae -Muise	125		
	FLANGES NEEDED FOR GENERAL USE	67		
	Replace boom Lacing Port Cranc	51		
<b>Upgrade Maintenance</b>				
Welder	2007 Project - Rig Floor Palfinger Crane	111		
<b>Priority: Medium</b>				
<b>Corrective Maintenance</b>				
Welder	Install guides for helifuel tanks	202		
	Fabricate Spool Piece For 6" Cement Bulk	201		
	FABRICATE 2" LINE AT WILDEN PUMP SUCTION	170		
	Install 3" Clean Out In Cement Hopper Ve	117		
<b>Upgrade Maintenance</b>				
Welder	FABRICATE CHEMICAL LINES AT SHEAR HOPPER	51		
<b>Priority: Low</b>				
<b>Corrective Maintenance</b>				
Welder	plasma cutter	51		
<b>Priority: High</b>				
<b>Other Maintenance</b>				
Well Control	Loaner nitrogen pump sent to the din OM	39		
<b>Planned Maintenance</b>				
Well Control	365 Day-Riser Tensioner Ndt	101		

Confidential Treatment Requested by Transocean Holdings LLC

TRN-HCEC-00035583

CONFIDENTIAL

TRN-MDL-00077320



**RMS II Morning Report**  
**Rig: Deepwater Horizon**  
**19 Apr 2010**

Date: 20 Apr 2010  
Time: 7:10 AM  
Page: 24 of 28

**Craft**

Well Control

**Job Description**

RPM 1825 Days - Perform Rated Load Tes

**Days**  
**Overdue Overdue Reason**

269 THIS P.M. WAS ATTEMPTED BY HADCO. WEIGHT TESTING BAGS WERE HUNG ON BOP CRANE AND FILLED WITH WATER. BEFORE ENOUGH WATER WAS PUT IN THE BAGS, WE RAN OUT OF ROOM IN THE BOP HOUSE. WILL HAVE TO COME UP WITH ANOTHER WAY TO LOAD TEST THIS CRANE. WIRE LINES GET CHANGED OUT ONCE PER YEAR AS PER RIG SPECIFIC POLICY. O.M.C. 02/21/09EMPAC WORK ORDER NO : 8706-004951-000 WAITING ON QUOTES 05/18/2009 06:52:25 HADCO WORKING UP QUOTES FOR THIS JOB. PLAN TO ATTEMPT THIS TEST AGAIN DURING THE 2009 UWILD. O.M.C, 05/18/09 EMPAC WORK ORDER NO : 8706-004951-000 STILL WORKING ON PLAN 07/13/2009 11:53:51 AS OF 07/13/09 WE STILL DON'T HAVE A ROCK SOLID PLAN ON HOW TO PERFORM THE LOAD TEST. I STRONGLY DISAGREE WITH HANGING WATER BAGS ON THE BOTTOM OF THE BOP. O.M. 07/13/09 WILL ATTEMPT TO COMPLETE THIS PM AGAIN DURING THE RIG OUT OF SERVICE PERIOD. O.M.C.



**RMS II Morning Report**

**Rig: Deepwater Horizon**

**19 Apr 2010**

Date: 20 Apr 2010

Time: 7:10 AM

Page: 25 of 28

<u>Craft</u>	<u>Job Description</u>	<u>Days</u>	<u>Overdue</u>	<u>Overdue Reason</u>
Well Control	RPM 730 Day - Testing Of Relief Valves	211		REPLACEMENT VALVES ORDERED ON JOB # 107909 TO CHANGE OUT THESE VALVES AND HAVE RECERTIFIED.
	365 Day-Ram Bop Ndt	98		
	365 Day-Spider/Gimbal Ndt	98		
<b>Corrective Maintenance</b>				
Well Control	RE-BILL BP HANDLING TOOL FOR KT RING	165		KT RING HANDLING TOOL IS NOT COMPLETE
	FITTINGS FOR KT-RING AND SS SHOP	118		
	OVERHAUL TWO 28" SUPER SHEAR BONNETS	96		
	REPAIR KITS FOR 3/4" REGULATOR	53		
	ASSEMBLY CABLE FOR FLOW METER	34		
<b>Upgrade Maintenance</b>				
Well Control	INSTALL TENSIONER SIGHT GLASSES	143		SIGHT GLASS INSTALLATION NOT COMPLETE
	2009 Project - Lmrp Coflexip Jumper Hose	64		
<b>Priority: Medium</b>				
<b>Corrective Maintenance</b>				
Well Control	REPAIR CMT MANIFOLD VALVES	135		PARTS HAVE NOT ARRIVED
<b>Total Estimated Hours</b>				<b>2,761.50</b>

**No equipment out of service.**

<u>Tag Description</u>	<u>Check Description</u>	<u>Reading</u>	<u>Upper</u>	<u>Lower</u>
Crane #1 Port	Operators Cab Window Wiper	Fail	Undefined	Undefined
Crane #1 Port	Operators Cab Window Wiper	Fail	Undefined	Undefined
Crane #1 Port	Operators Cab Window Wiper	Fail	Undefined	Undefined
Crane #2 Stbd	Operator's Cab Doors/Latches	Fail	Undefined	Undefined
Crane #2 Stbd	Operator's Cab Doors/Latches	Fail	Undefined	Undefined
Crane #2 Stbd	Operator's Cab Doors/Latches	Fail	Undefined	Undefined
Crane #2 Stbd	Operator's Cab Doors/Latches	Fail	Undefined	Undefined





**RMS II Morning Report**  
**Rig: Deepwater Horizon**  
**19 Apr 2010**

Date: 20 Apr 2010  
 Time: 7:10 AM  
 Page: 27 of 28

<u>Job Description</u>	<u>Craft</u>	<u>JDR Num</u>	<u>Renewal</u>	<u>Sched Date</u>	<u>Req Date</u>	<u>Status</u>
2010 Project - Change Out Exhausted Spoo	Toolpusher	1550038000046	0	31-Dec-2009	01-Apr-2010	Expired
2010 Project - Change Out Exhausted Spoo	Toolpusher	1550038000046	1	31-Dec-2009	01-Jun-2010	Approved
Fugro tech and rental unit for ADCP	Electrical Sup	1550038000059	0	28-Feb-2010	30-Jun-2011	Pending
INSTALL TENSIONER SIGHT GLASSES	Well Control	1550038000064	0	28-Nov-2009	12-Apr-2010	Expired
INSTALL TENSIONER SIGHT GLASSES	Well Control	1550038000064	1	28-Nov-2009	30-Jun-2011	Pending
ORDER DISCHARGE SCREEN FOR MUD PUMP	Drilling	1550038000040	0	10-Dec-2009	11-Mar-2010	Expired
RE-BILL BP HANDLING TOOL FOR KT RING	Well Control	1550038000063	0	06-Nov-2009	12-Apr-2010	Expired
RE-BILL BP HANDLING TOOL FOR KT RING	Well Control	1550038000063	1	06-Nov-2009	31-Jul-2010	Pending
REBUILD LOCKING PIN FOR SDC RING	Well Control	1550038000066	0	15-Jul-2010	30-Jul-2011	Pending
REPAIR CMT MANIFOLD VALVES	Well Control	1550038000065	0	06-Dec-2009	12-Apr-2010	Expired
REPAIR CMT MANIFOLD VALVES	Well Control	1550038000065	1	06-Dec-2009	30-Jul-2010	Pending
REPAIR WTD C204, STBD FWD 02 LEVEL	Assistant Engi	1550038000037	0	01-Dec-2009	01-Feb-2010	Expired
REPLACE FLANGE ASSEMBLY	Drilling	1550038000041	0	11-Dec-2009	12-Mar-2010	Expired
RPM 1825 Days - Perform Rated Load Tes	Well Control	1550038000061	0	25-Jul-2009	30-Jun-2011	Pending
RPM 365 Day - Internal Tank Inspectio	Assistant Engi	1550038000009	0	26-Mar-2008	31-Oct-2009	Expired
RPM 730 Day - Testing Of Relief Valves	Well Control	1550038000062	0	21-Sep-2009	12-Apr-2010	Expired
RPM 730 Day - Testing Of Relief Valves	Well Control	1550038000062	1	21-Sep-2009	30-Jun-2011	Declined
SEND IN 8 1/4" D.C. FOR INSPECTION	Toolpusher	1550038000060	0	04-Apr-2010	31-Oct-2010	Pending
Send In Auto Iboop Due To Failing Inspect	Drilling	1550038000044	0	31-Dec-2009	04-Feb-2010	Expired

<u>Overdue</u>	<u>Certification Name</u>	<u>Commencement</u>	<u>Agency</u>	<u>Due Date</u>	<u>Certification Comments</u>
N/A	Safety Management Certificate	16 Feb 2010	DNV	16-May-2010	D24037/070711F
N/A	INTERNATIONAL LOADLINE	28 Feb 2010	ABS	28-May-2010	0139290-715055-002
N/A	IOPP CERTIFICATE	28 Feb 2010	ABS	28-May-2010	0139290-916868-001
N/A	DPS Document - MSC/Circ 645	28 Feb 2010	ABS	28-May-2010	0139290-669370-007

**Last REL Load Date :** 17 March 2010 10:17:43AM  
**Last REL Extract Date :** 20 April 2010 6:05:55AM



**RMS II Morning Report**  
**Rig: Deepwater Horizon**  
**19 Apr 2010**

Date: 20 Apr 2010  
Time: 7:10 AM  
Page: 28 of 28

