

From: Morel, Brian P
Sent: Fri Apr 16 15:05:00 2010
To: Maxie, Doyle; LeBleu, John B; Cocalles, Brett W; Hafle, Mark E
Subject: RE: FAS and FAS AK
Importance: Normal
Attachments: image004.gif; image005.jpg; image006.jpg

Cement plug will be set with 3-1/2" stinger open ended.

From: Maxie, Doyle [mailto:dmaxie@miswaco.com]
Sent: Friday, April 16, 2010 10:00 AM
To: LeBleu, John B; Cocalles, Brett W; Morel, Brian P; Hafle, Mark E
Subject: FAS and FAS AK


Gentlemen,

There are no environmental restrictions for dumping these pills other than they have not been circulated through the well bore. With this in mind we cannot go straight overboard. I have talked with Armand, Wilde, Manuel, Smith, about the possibility of using the pills as the final displacement spacer prior to cleaning the riser for NILE. We have to clear all operational issues before doing so such as BHA for final displacement, I am assuming it will be a cement stinger. With that tool in hole we do not feel there would be any restriction that would cause the FORM A SQUEEZE to set up and without the XI in the FAS AK there is no cross linking agent to cause it to set up. I do not know the exact tool that will be used but if there are any small restrictions in the assembly this would be a risk. This could be used as the spacer for displacing riser to sea water and then go overboard after Rheliant is displaced. Just a thought to discuss. If we feel this is not an option I will get information to Tracy for disposal.

Project Engineer
Houston District
Office: 281 . 988 . 1809
Cell: 281 . 686 . 7247
Ritefax: 832 . 351 . 4916

cid:image003.jpg@01C7EB1A.0F2F3EA0

This email is intended solely for the person or entity to which it is addressed and may contain confidential and/or privileged information. Copying, forwarding



Confidential

BP-HZN-BLY00069131

or distributing this message by persons or entities other than the addressee is prohibited. If you have received this email in error, please contact the sender immediately and delete the material from any computer.

This email may have been monitored for policy compliance. [021216]