

**From:** Lindner, Leo T (MI DRILLING FLUIDS, INC) [leo.lindner@bp.com]  
**Sent:** Monday, April 19, 2010 4:32 PM  
**To:** Maxie, Doyle  
**Subject:** RE: Displacement

**Importance:** Low

120 degrees  
108  
61  
45  
25  
5  
4  
PV 47  
YP 14

It did not react at all. I also ran a static sheen on the Form A Squeeze in case that fiber floats. The sample passed.

-----Original Message-----

**From:** Maxie, Doyle [mailto:dmaxie@miswaco.com]  
**Sent:** Monday, April 19, 2010 8:31 AM  
**To:** Lindner, Leo T (MI DRILLING FLUIDS, INC)  
**Subject:** Re: Displacement

I am thinking maybe a pilot test. Just mix 2 gal each together and see what happens Doyle W.  
Maxie

----- Original Message -----

**From:** Lindner, Leo T (MI DRILLING FLUIDS, INC) <leo.lindner@bp.com>  
**To:** Maxie, Doyle  
**Sent:** Mon Apr 19 08:28:20 2010  
**Subject:** RE: Displacement

Running on landing string--will cement sometime this afternoon or evening. Once we are cemented, we will fold the two LCM pills together, weight up 2 pounds over, and add about 1 ppb duovis and see what it looks like. We will also pump excess SBM to the boat and get ready to displace.

-----Original Message-----


**From:** Maxie, Doyle [mailto:dmaxie@miswaco.com]  
**Sent:** Monday, April 19, 2010 7:06 AM  
**To:** Lindner, Leo T (MI DRILLING FLUIDS, INC)  
**Subject:** Re: Displacement

Hey. Where are we with ops  
Doyle W. Maxie

----- Original Message -----

**From:** Lindner, Leo T (MI DRILLING FLUIDS, INC) <leo.lindner@bp.com>  
**To:** Maxie, Doyle  
**Sent:** Mon Apr 19 06:57:53 2010  
**Subject:** Displacement

1



HIGHLY CONFIDENTIAL

M-I 00003698

---

This email is intended solely for the person or entity to which it is addressed and may contain confidential and/or privileged information. Copying, forwarding or distributing this message by persons or entities other than the addressee is prohibited. If you have received this email in error, please contact the sender immediately and delete the material from any computer. This email may have been monitored for policy compliance. [021216]