

From: Roller, Perrin (DWH Proj)
Sent: Friday, July 02, 2010 1:52 PM
To: Ambrose, Bill (Houston)
Subject: RE: Negative Test Data

Most of them had a number of plugs and/or CIR/BP in place. I want to read over all the written procedures again to make sure that we are getting a good picture at how the trend is for actually doing the test.

BTW, the one with the 2800 psi differential was strictly because of water depth, not the depth BML for displacement.

It would be really good to get data from other rigs in the fleet, but I'm betting they would fall within the range of what we have now, more or less. I'll withhold my "final official opinion" on the BP procedure until I have thoroughly looked at everything, but unofficially the BP prog was severely flawed by the fact they counted unset cement (on a marginal and risky job) and a float collar as the two required barriers.

Thanks for the extra time. I'll get some "mental rest" on the 800 miles back tomorrow. I feel like an amateur truck driver right now.....

Cheers

From: Ambrose, Bill (Houston)
Sent: Friday, July 02, 2010 8:03 AM
To: Roller, Perrin (DWH Proj)
Subject: RE: Negative Test Data

Perrin,

Tuesday is fine. I have told everyone here to take the weekend off and get a break, applies to you as well.

That one test to 1100 ft below mud line caught my eye, but then I realized they had 3 plugs in place at the time they did it.

Thanks,

Bill

BILL AMBROSE
TRANSOCEAN | 4 GREENWAY PLAZA, HOUSTON, TX 77046 | OFFICE 713.666.7602 | CELL 713.377.8920 | bill.ambrose@deepwater.com

From: Roller, Perrin (DWH Proj)
Sent: Thursday, July 01, 2010 11:54 PM
To: Ambrose, Bill (Houston)
Subject: Negative Test Data
Importance: High


Bill,

Attached is the composite spread sheet. The data is pretty scattered but I am trying to "normalize" it and get a statistical look at it. I also need to go through the written procedures again from each rig that submitted them and try to look at some of the finer details of the tests.

If you open the sheet to the stat page you can see how the distribution of the data is going.

If you can possibly wait until Tuesday, I would really like to do a proper write up on this. I will have it done by Tuesday, if not sooner. I will try to get it done by tomorrow night, but they have delayed moving my mother until tomorrow due

CONFIDENTIAL



TRN-INV-01143327

to an infection she has been fighting (she was supposed to have been transferred to re-hab on this past Tuesday). I have most of the family business sorted out but will need tomorrow to finalize the move and get all the utilities swapped over to our address in Houston.

Give me a call if you need to discuss.

Thanks

PRR

Perrin R. Roller

Transocean | 4 Greenway Plaza Houston, TX 77046 | office 832.587.6017 | cell 713.503.6676 | perrin.roller@deepwater.com
