

10427
Exhibit No. _____
Worldwide Court Reporters, Inc.

From: Stephanie Heard Intertek <stephanie.heard@intertek.com>
Sent: Friday, July 30, 2010 10:27 AM
To: McAughan, Kelly <Kelly.McAughan@bp.com>
Cc: Edmond Shtepani Intertek <edmond.shtepani@intertek.com>
Subject: RE: MC252 Samples

Kelly,

In regards to the MC252 sample, we have 165cc remaining. Please let us know if we can help you further. Have a great weekend!

Stephanie Heard
Business Development Representative
Intertek Westport Technology Center
6700 Portwest Drive Office: (713) 479-8437
Houston, TX 77024 Cell: [REDACTED]
www.westport1.com Fax: (713) 864-9357

From: McAughan, Kelly [mailto:Kelly.McAughan@bp.com]
Sent: Thursday, July 29, 2010 7:19 PM
To: Stephanie Heard Intertek
Subject: Re: MC252 Samples

Yes if you can give me an accurate volume that would be great.

Kelly McAughan
GoMX Reservoir Engineer

Sorry for spelling errors
Sent from my iPhone

On Jul 29, 2010, at 5:09 PM, "Stephanie Heard Intertek" <stephanie.heard@intertek.com> wrote:

Kelly,

There is ~150cc remaining. I can give you a more accurate volume tomorrow if you would like?

Stephanie Heard
Business Development Representative
Intertek Westport Technology Center
6700 Portwest Drive Office: (713) 479-8437
Houston, TX 77024 Cell: [REDACTED]
www.westport1.com Fax: (713) 864-9357

From: McAughan, Kelly [mailto:Kelly.McAughan@bp.com]
Sent: Thursday, July 29, 2010 3:45 PM
To: Stephanie Heard Intertek
Cc: Edmond Shtepani Intertek

DW 0007310

TREX 010427.0001

TREX-010427.0001

Subject: RE: MC252 Samples

How many cc of the MC252 sample is left?

From: Stephanie Heard Intertek [mailto:stephanie.heard@intertek.com]

Sent: Thursday, July 29, 2010 3:08 PM

To: McAughan, Kelly

Cc: Edmond Shtepani Intertek

Subject: RE: MC252 Samples

Kelly,

We also have 2 cylinders for GC826 that originated with Dr. Yun Wang around the same time as the MC252 project.

Stephanie Heard
Business Development Representative
Intertek Westport Technology Center
6700 Portwest Drive Office: (713) 479-8437
Houston, TX 77024 Cell: [REDACTED]
www.westport1.com Fax: (713) 864-9357

From: McAughan, Kelly [mailto:Kelly.McAughan@bp.com]

Sent: Thursday, July 29, 2010 10:23 AM

To: Stephanie Heard Intertek

Cc: McAughan, Kelly; Edmond Shtepani Intertek

Subject: Re: MC252 Samples

Please keep in storage for now just in case.

Kelly McAughan
GoMX Reservoir Engineer

Sorry for spelling errors
Sent from my iPhone

On Jul 29, 2010, at 10:19 AM, "Stephanie Heard Intertek"
<stephanie.heard@intertek.com> wrote:

Kelly,

How would you like for us to proceed with the sample?

Stephanie Heard
Business Development Representative
Intertek Westport Technology Center
6700 Portwest Drive Office: (713) 479-8437
Houston, TX 77024 Cell: [REDACTED]
www.westport1.com Fax: (713) 864-9357

DW 0007311

TREX 010427.0002

TREX-010427.0002

From: McAughan, Kelly [mailto:Kelly.McAughan@bp.com]
Sent: Thursday, July 29, 2010 10:16 AM
To: Stephanie Heard Intertek
Cc: McAughan, Kelly; Edmond Shtepani Intertek
Subject: Re: MC252 Samples

Great thanks!!

Kelly McAughan
GoMX Reservoir Engineer

■
Sorry for spelling errors
Sent from my iPhone

On Jul 29, 2010, at 9:57 AM, "Stephanie Heard Intertek"
<stephanie.heard@intertek.com> wrote:

Kelly,
There is one cylinder has been kept at 243F and 13K since the
completion of the project.

Stephanie Heard
Business Development Representative
Intertek Westport Technology Center
6700 Portwest Drive **Office: (713) 479-8437**
Houston, TX 77024 **Cell: [REDACTED]**
www.westport1.com **Fax: (713) 864-9357**

From: McAughan, Kelly [mailto:Kelly.McAughan@bp.com]
Sent: Thursday, July 29, 2010 9:12 AM
To: Stephanie Heard Intertek
Subject: MC252 Samples

Stephanie,
Can you do me a favor and give me an inventory of MC252
samples that we have stored at Westport, if any, and let
me know how they are stored?

If you can get this to me today I would really appreciate
it.

Thanks,
Kelly

DW 0007312

TREX 010427.0003

TREX-010427.0003

CONFIDENTIALITY NOTICE

This email may contain confidential or privileged information, if you are not the intended recipient, or the person responsible for delivering the message to the intended recipient then please notify us by return email immediately. Should you have received this email in error then you should not copy this for any purpose nor disclose its contents to any other person.

<http://www.intertek.com>

DW 0007313

TREX 010427.0004

TREX-010427.0004