

Report Date
03/06/2013

**ATHENS DIAGNOSTIC LABORATORY
COLLEGE OF VETERINARY MEDICINE**

Page 1 of 1

UNIVERSITY OF GEORGIA
ATHENS, GA 30602

Phone #: 706-542-5568 Fax #: 706-542-5977

Owner: AUDUBON AQUATIC CENTER
14001 RIVER RD
NEW ORLEANS, LA 70131

Accession Number: A13-27912

Reference Number:

Received: 03/05/2013 **Finalized:** 03/06/2013

Species: EXOTIC - WHALE, DOLPHIN,

Breed: BOTTLE-NOSED DOLPHIN

Sex: MALE **Age:** U

Animal ID: SMM-20110128-LA001

Case Ref #:

Specimen: LUNG

Veterinarian: DR. TERI ROWLES
NOAA-NMFS HQ OPR- MARINE MAMMALS
1315 EAST WEST HIGHWAY
SILVER SPRING, MD 20910

MOLECULAR BIOLOGY RESULTS

Morbillivirus PCR

COMMENTS

A negative result indicates that morbillivirus RNA was not detected in the sample tested. Because of possible uneven distribution of virus in many tissues, a negative result on a single sample does not completely rule out morbillivirus infection in the animal. This PCR is run with an internal control to assure the quality of RNA. Internal Control for co-amplification makes it possible to distinguish between PCR inhibition and true negative results in the tested sample.

REPORTED BY Ingrid Fernandez; Lab Manager I

REPORT DATE 03/06/2013

Morbillivirus PCR

ANIMAL ID	SPECIMEN DESC	PCR RESULT
Smm-20110128-La001	Lung	Negative

Results authorized by Dr. Susan Sanchez, Section Head.

Accession Number: A13-27912

Final Report