

DOLPHIN GROSS NECROPSY LONG FORM

ACCESSION #: RIB-20101130-LA001	NECROPSY DATE: 3/16/11
TIME: START: 1734 END: 1934	PROSECTOR(S): M. J. ... L. ...

- > Circle one: "N" = normal; "A" = abnormal; "U" = unsure; "NE" = not examined; "NA" = not applicable
- > Complete required fields of "Content"; "Life History"; "Congenital"; and "Parasites"
- > Describe "abnormal" or "unsure" findings
- > Describe as if to a blind person, without interpretation. Any interpretation / questions can be placed in parenthesis.
- > Consider: (1) **lesion**, (2) **location** within the body and symmetry, (3) distribution within the organ, (4) **relationship** to other organs/lesions, (5) **approximate percent of organ affected**/ severity, (6) **amount/size/size range**, (7) degree of demarcation, (8) shape/structure, (9) texture/consistency, (10) homogeneity, (11) color & odor

STRANDING OR SAMPLING HISTORY:
 ... possibly oiled ~~near~~ on rostrum (pictures + swab taken)

BODY CONDITION (EXTERIOR):

- Emaciated: Visible transverse processes, pronounced nuchal concavity, scapulae visible
- Thin: Concave/sunken epaxial muscles, moderate nuchal concavity
- Average: No bony prominences or nuchal concavity observed
- Robust: Bulging epaxial musculature

Description & Comments:

INTEGUMENT: N / A / U / NE / NA

LIFE HISTORY: Rostral hairs, Rostral hair follicles, Fetal Folds (Circle if present)
Finding: Ectoparasites (mite, lice, barnacle, Xenobalanus (<10, 10-20, 20-50, >50), Discolored, Patchy, Surgical incision, Penetrating wound, Foreign body, Laceration / Rake marks, Abrasion, Erosion / Ulcer, Scar, Vesicle / Pustule, Plaque, Abnormal foci, Mass, Abscess, Cyst (fluid filled / empty), Fluid (edema), Scavenging, Bruising (Hemorrhage, Petechia)
Description & Comments: generalized scavenging damage; ① mandible exposed; abrasions over ② body wall; ③ finlet tip missing; rake marks @ dorsal midline.

DISCHARGES: Absent, circle and describe if Present:

OCULAR, BLOW HOLE, ORAL, PENILE/ VULVAR, ANAL, OTHER: _____
 Note Color and Consistency: _____

UMBILICUS: Present/ Absent (patent hole)/ Recently Healed/ Scarred N / A / U / NE / NA

LIFE HISTORY: Umbilical stump: Patent (partly / completely), Closed, Moist / Dry; Length: _____
 Falciform ligament (umbilical vein)/ Umb arteries: Patent (partly / completely), Closed
 Urachal ligament (urachus): Patent (partly / completely), Closed
Finding: Hernia (of: _____), Other: _____
Description & Comments: Missing

BLUBBER: (N) / A / U / NE / NA

Finding: Parasites (<10, 10-20, 20-50, >50), Discolored, Penetrating wound, Foreign body (describe: _____), Laceration, Abrasion, Abnormal foci, Mass, Abscess, Cyst (fluid filled / empty), Fluid (edema), Scavenging, Bruising (Hemorrhage, Petechia), Necrotic fat

Description & Comments: _____

SKELETAL MUSCLE: (N) / A / U / NE / NA

Finding: Atrophy, Pale / Discolored / Streaked, Abnormal foci, Edema, Hemorrhage, Mass, Abscess, Parasite (<10, 10-20, 20-50, >50), Other: _____

Extent: Tracking along fascia; Communicates with skin / blubber / bone / internal cavity

Description & Comments: _____

EYES: Right: N / A / (U) / NE Left: (N) / A / U / NE

Finding: Missing; Phthisis (shrunken); Buphthalmia (enlarged); Proptosis (out of socket); Rupture; Lens luxation; Material in anterior chamber (behind cornea); Foreign body; Corneal Opacity; Penetrating wound; Laceration; Abrasion; Erosion / Ulcer; Scar; Other: _____

Location: Conjunctiva; Third eyelid; Cornea; Anterior chamber; Lens; Entire globe; Periorbital soft tissue

Description & Comments: (P) eye deflated / decomposed; aqueous humor collected

ORAL CAVITY AND NASOPHARYNX: (N) / A / U / NE / NA

TEETH: Unerupted, Just erupting, Fully erupted

Finding: Missing; (Broken) / Fractured; (Worn) (regular / Irregular); Gingivitis; Discharge

Description & Comments: papillae on tongue; pharynx & trachea & laryngeal tissue exposed across ventral surface

THORACIC CAVITY: N / (A) / U / NE / NA

Pericardial fat: Abundant, Fair amount, Reduced amount, None; Serous (gelatinous) change

Effusion: Slight, Moderate, Copious (approximate amt: _____ ml)

Liquid, Serous, Viscous, Clear, Opaque, Purulent, Flecks, Fibrin (stringy); COLOR: _____

Finding: (Pneumothorax) (communication with skin / abdomen; negative pressure not observed on puncture of diaphragm), Penetrating wound, Foreign body, Adhesions (to lung, diaphragm, pericardium, other: _____), Discolored, Plaque, Abnormal foci, Mass

Description & Comments: thorax (left) - open penetrating wound (premed shark bite), sandy, tan / decomposed

CRANIAL LYMPH NODES:

Prescapular: N / (A) / U / NE / NA

Axillary: (N) / A / U / NE / NA

Lung-associated: N / (A) / U / NE / NA

Mandibular: N / A / U / (NE) / NA

Tracheobronchial: N / A / U / (NE) / NA

Other (location): _____

Finding: (Swollen) (slight, moderate, marked), (Discolored), Lymphoid hyperplasia (regular demarcated white foci, Abnormal foci, Mass, Abscess (pus), Granuloma (crumbly), (Wet) Fluid (edema), Other: _____

Description & Comments: Prescap LN enlarged (~5 x 2 x 3 cm), pale tan w/ multifocal black foci on capsular surface & by cut section. Lung-assoc LNs - mildly edematous

ESOPHAGUS: (N) / A / U / NE / NA

CONTENT (AMOUNT / DESCRIBE): empty, fish, digesta, mucous, blood, other: _____

Finding: Discolored, Penetrating wound, Foreign body, Erosion / Ulcer, Perforation, Proliferation, Thickened, Plaque, Abnormal foci, Mass, Dilated / Constricted, Obstruction, Parasites (<10, 10-20, 20-50, >50)

Location: Cervical (in front of thorax), Thoracic, Lumen, Mucosa, Submucosa, Wall, Serosa (outer surface)

Description & Comments: _____

THYROID: N / (A) / U / NE / NA

Finding: Enlarged, Discolored / Pale, Abnormal foci, Mass, Cyst (fluid filled / empty), Other: _____

Description & Comments: pale tan / pink

THYMUS: N / A / U / (NE) / NA

LIFE HISTORY: Involved, Present

Description & Comments: _____

TRACHEA / BRONCHI / LUNGS: N / (A) / U / NE / NA

CONTENT (AMOUNT / DESCRIBE): Foam / Mucous / Blood / Pus / Digesta / Other: @ trachea, bronchus, bronchioles

Clear, Opaque; Color: _____; Other: _____

PARASITES: Describe: small, 1 mm wide x 0.5 mm long, white. Extent and distribution: generalized lung parenchyma

Finding: Discolored / Pale, Abnormal foci, Mass, Consolidated, Congested, Emphysema (air bubbles) / Bulla (air filled cyst), Clear foamy fluid / Edema (small / lg airway / septa; slight, mod, copious), Infarct (pale / red / red margins), Thrombus (part / complete vessel occlusion; w/infarct), Abscess, Obstruction

Location: Trachea, Bronchus, Lobe: R / L

Dorsal / Hilar, Ventral / Cranioventral, Mid / All regions, Pleura, Parenchyma, Interlobular (space between lobules)

Description & Comments: light parasite load;

HEART / PULMONARY ARTERIES / AORTA : (N) / A / U / NE / NA

CONGENITAL: Ductus arteriosus: Open (diameter: _____), Membrane covered but probe patent, (Closed)

Foramen ovale: open (diameter: _____), probe patent but covered by membrane, (closed)

Persistent left aortic arch: with esophageal dilation, without esophageal dilation

Atrial / Ventricular septal defect (diameter defect: _____; diameter outflow tract: _____)

Aortic / Pulmonic Constriction (valvular, above valve, below valve) (with post-constriction dilation)

Pericardium: **Effusion:** Slight, Moderate, Copious (approximate amt: _____ ml); COLOR: _____

Liquid, Serous, Viscous, Clear, Opaque, Purulent, Flecks, Fibrin (stringy)

Finding: Discolored, Rupture, Proliferation, Thickened, Plaque, Abnormal foci, Mass, Other: _____

Valves: Smooth thickening (nodular / diffuse), Roughened thickening (flat / proliferative)

Location: Left AV valve, Aortic valve, Right AV valve, Pulmonic valve

Myocardial thickness: L Ventricle outer wall: _____, R Ventricle outer wall: _____, Interventricular septum: _____

Finding: Chamber dilation (ventricle L / R; atrium L / R), Left Side Flaccid, Infarct (pale / red / red margins), Thrombus (part / complete occlusion), Roughened inner surface, Pale / Discolored, Abnormal foci, Mass, Abscess, Other: _____

Description & Comments: _____

ABDOMINAL CAVITY: N / (A) / U / NE / NA**Abdominal fat (Perirenal, Omental):** Abundant, Fair amount, Reduced amount, None**Effusion:** Slight, Moderate, Copious (approximate amt: _____ ml)

Liquid, Serous, Viscous, Clear, Opaque, Purulent, Flecks, Fibrin (stringy); COLOR: _____

Finding: Penetrating wound, Foreign body / Ingesta (with or without GI rupture), Adhesions (to wall / organs): _____
Discolored, Abnormal foci, Mass, Abscess, Hemorrhage**Location:** Peritoneum, Mesentery, Omentum**Description & Comments:** see LN (mesenteric)**LIVER:** N / (A) / U / NE / NA**PARASITES:** Flukes / Other: _____ (ND, <10, 10-20, 20-50, >50)**Finding:** Enlarged (slight, moderate, marked), Small, Capsular fibrosis, Fracture / Laceration, Discolored / Pale, Nutmeg appearance, Abnormal foci, Mass, Abscess, Cyst, Friable, Congested, Other: _____**Location:** Lobe: Caudate / Right lateral / Right medial / Quadrate / Left medial / Left lateral / All lobes
Capsular, Subcapsular, Parenchyma**Description & Comments:** liver margins mildly rounded**SPLEEN:** N / (A) / U / NE / NA**Finding:** Engorged (slight, moderate, marked), Contracted, Capsular fibrosis, Lymphoid hyperplasia (regular discrete small white foci), Infarct (red / pale / red margin), Discolored / Mottled, Abnormal foci, Mass, Friable, Other: _____**Location:** Head, Body, Tail, Capsule, Subcapsular, Parenchyma **Color:** _____**Description & Comments:** _____**PANCREAS:** N / A / U / (NE) / NA**Finding:** Swollen, Small, Discolored / Pale, Abnormal foci, Mass, Other: _____**Description & Comments:** _____**STOMACH:** N / A / (U) / NE / NA**STOMACH CONTENTS (AMOUNT / DESCRIBE):** Empty, Dilated w/ gas, Mucous, Formula, Fluid, Sand/ Rocks, Fish, Cephalopods, Foreign bodies, Undigested, Partially digested, Digested, Other: _____**PARASITES:** Nematodes: (<10, 10-20, 20-50, >50) with or without volcanic ulcer (mild, moderate, severe)
Other: _____ (<10, 10-20, 20-50, >50)**Finding:** Discolored/ Pale, Penetrating wound, Foreign body, Rugae swollen / loss / thickened, Erosion / Ulcer / Volcanic ulcer, Perforation, Thickened, Plaque, Abnormal foci, Mass, Dilated / Constricted, Torsion, Obstruction**Location (chamber):** First, Second, Third**Description & Comments:** collected whole - not tied off at esophagus
w/ still frozen at time of necropsy (no contents lost)**SMALL INTESTINE:** N / A / (U) / NE / NA**CONTENT (AMOUNT / DESCRIBE):** Empty, Digesta, Frank blood (red), Digested blood (black/tarry); Other: _____**PARASITES:** Type: _____ (<10, 10-20, 20-50, >50)**Finding:** Discolored/ Pale, Penetrating wound, Foreign body, Erosion / Ulcer, Perforation, Thickened, Abnormal foci, Mass, Dilated / Constricted, Torsion, Corrugated, Obstructed**Location:** Duodenum, Jejunum, Ileum**Description & Comments:** decomposed - red/pink to dark brown

LARGE INTESTINE: N / A / U / NE / NA

CONTENT (AMOUNT / DESCRIBE): Empty, Feces: firm, thin/pasty, dry, tarry, meconium (neonate; green-brown pasty material) Other: gas & icl digesta

PARASITES: Type: _____ (<10, 10-20, 20-50, >50)

Finding: Discolored/ Pale, Penetrating wound, Foreign body, Erosion / Ulcer, Perforation, Thickened, Plaque, Abnormal foci, Mass, Dilated / Constriction, Obstruction (by _____),

Location: Lumen, Mucosa, Submucosa, Wall, Serosa (outer surface)

Description & Comments: decomposed

ABDOMINAL LYMPH NODES: Mesenteric: N / A / U / NE / NA;
 Iliac: N / A / U / NE / NA; Inguinal: N / A / U / NE / NA;

Finding: Swollen (slight, moderate, marked), Discolored Pale, Lymphoid hyperplasia (regular demarcated white foci), Abnormal foci, Mass, Abscess, Wet / Fluid (edematous), Other: firm & hemorrhagic

Location: Left, Right, Symmetrical, Asymmetrical (R>L, L>R), Cortex, Medulla, Corticomedullary junction

Description & Comments: Mesenteric LN: diffusely enlarged; central hemorrhage, firm/hard & yellow/tan/brown

ADRENAL GLAND: Right: N / A / U / NE / NA Left: N / A / U / NE / NA

CORTICOMEDULLARY RATIO: Right: 1:1 Left: NE

Finding: Enlarged/ Shrunken (slight, moderate, marked), Nodular cortical hyperplasia (mild, moderate, severe), Discolored / Pale, Abnormal foci, Mass, Abscess, Hemorrhagic, Striated

Location: Cortex, Medulla, Corticomedullary junction; Left, Right; Symmetrical, Asymmetrical (R>L, L>R)

Description & Comments: _____

URINARY BLADDER and URETERS: N / A / U / NE / NA

BLADDER CONTENT: Patent, Obstructed (by _____) Distended, Partly full, Empty;

Urine: Clear, Opaque, Yellow (dark, light) Red-tinged Other: Gritty, Calculi (SAVE)

Finding: Discolored/ Pale, Erosion / Ulcer, Dilated / Constricted, Rupture, Proliferation, Thickened, Plaque, Abnormal foci, Mass, Abscess, Cyst (fluid filled / empty), Hydroureter, Calculi (SAVE)

Location: Bladder: Apex (tip), Body, Trigone (outflow site) / Ureter; Lumen, Mucosa, Submucosa, Wall, Serosa

Description & Comments: 10ml clear, pink/yellow urine in bladder

KIDNEY: Right: N / A / U / NE / NA Left: N / A / U / NE / NA

Finding: Swollen / Shrunken (slight, moderate, marked), Hydronephrosis (distended pelvis), Loss of corticomedullary/renicular differentiation (slight, moderate, marked), Discolored / Pale, Infarct (red / pale / red margin), Cyst (fluid filled / empty), Hematoma, Thickened, Plaque, Abnormal foci, Mass, Abscess, Other: _____

Location: Cortex, Medulla, CM junction, Capsule, Subcapsule, Cranial / Caudal Poles

Description & Comments: No renal fat; green tinge to fascia surrounding kidneys.

URETHRA: N / A / U / NE / NA

CONTENT: Patent, Obstructed (by _____) Gritty, Calculi (SAVE)

Finding: Discolored/ Pale, Erosion / Ulcer, Dilated / Constricted, Thickened, Plaque, Abnormal foci, Mass, Abscess

Description & Comments: _____

MALE REPRODUCTIVE TRACT: NA

Testes: N / A / U / NE

Penis: N / A / U / NE

LIFE HISTORY: Active (swollen), Resting, Immature

Finding: Enlarged, Discolored/ Pale, Cyst (fluid filled / empty), Obstructed (by _____), Perforation, Swollen/ Thickened, Fluid-filled, Erosion / Ulcer, Plaque, Abnormal foci, Mass, Torsion, Laceration/ Abrasion, Vesicle/ Pustule, Other: _____

Location: Testes; Epididymus (head/ tail), Penis

Left, Right, Symmetrical, Assymetrical (R > L, L > R); Skin, Subcutis, Sac, Mucosa, Submucosa

Description & Comments: @ventral midline, between penis & bladder: 0.5cm pocket containing green mucopurulent discharge

FEMALE REPRODUCTIVE TRACT: (make new form for Fetus): NA

Ovaries: N / A / U / NE

Uterus: N / A / U / NE

Cervix: N / A / U / NE

Vagina: N / A / U / NE

Vulva: N / A / U / NE

LIFE HISTORY: Left Ovary: Corpora lutea (No. _____), Corpora hemorrhagic (No. _____), Follicles (No. _____)

Right Ovary: Corpora lutea (No. _____), Corpora hemorrhagic (No. _____), Follicles (No. _____)

Uterus: Placental scar (L/ R uterine horn; No. _____)

Fetus Present: (L/ R uterine horn; Fetus Acc#: _____)

Placenta: Attached / unattached to fetus; Complete placenta / Part of: chorioallantois, amnion, umbilical stalk; Umbilical Stalk No. of Twist: _____

MAMMARY GLANDS/ NIPPLES: *MAMMAE:* Lactation, Swollen without lactation, Non-lactating

Finding: Enlarged, Discolored/ Pale, Abnormal foci, Mass, Cyst (fluid filled / empty), Obstructed (by _____), Prolapse, Rupture, Perforation, Swollen/ Thickened, Fluid-filled, Erosion / Ulcer, Plaque, Abnormal foci, Mass, Torsion,

Location: Ovary, Uterus, Cervix, Vagina, Vulva; Left, Right, Symmetrical, Assymetrical (R > L, L > R);

Capsule, Subcapsule, Parenchyma, Hilus, Lumen, Mucosa, Submucosa, Wall, Serosa (outer surface);

Fetal attachment site, Non-attachment site, Chorioallantois, Amnionic sac, Umbilical stalk

Description & Comments: _____

DURA MATER AND INSIDE SKULL: N / A / U / NE / NA

Finding: Discolored/ Pale, Congestion, Penetrating wound, Foreign body, Abnormal foci, Mass, Abscess, Hematoma, Fluid,

Location: Subleptomeningeal, Dura mater, Inside skull

Level of cerebrum / cerebellum / brainstem; Dorsal, Lateral, Ventral; L / R; Symmetrical, Assymetrical (R > L, L > R)

Description & Comments: _____

BRAIN:	Cerebrum: N / A / U / NE / NA;	Cerebellum: N / A / U / NE / NA
	Brain stem: N / A / U / NE / NA;	Meninges: N / A / U / NE / NA

Finding: Discolored/ Pale, Asymmetry / Midline shift (towards L / R), Shallow sulci (grooves) / Flattened gyri (bumps), Congested, Edematous, Penetrating wound, Foreign body, Abnormal foci, Mass, Abscess, Hydrocephalus, Hematoma,
Location: Lobe: frontal / temporal / parietal / occipital; Dorsal, Lateral, Ventral; L / R; Symmetrical, Asymmetrical (R>L, L>R)
Description & Comments: _____

SPINAL CORD: N / A / U / ~~NE~~ / NA

Finding: Discolored, Disc herniation / Compressive lesion, Tear (partial / complete), Foreign body, Abnormal foci, Mass,
Location: Cervical, Thoracic, Lumbar, Sacral; Between bone and meninges/cord, Between meninges and cord, Parenchyma
Description & Comments: decomposed

SKELETON AND JOINTS: ~~N~~ / A / U / NE / NA

Joint Effusion: Slight, Moderate, Copious (approximate amt: _____ ml); Liquid, Viscous, Clear, Opaque, Flecks, Fibrin (stringy); White, Yellow, Tan, Brown, Red, Red-tinged, Other: _____
Finding: Bone pliable / brittle, Deformity, Bone loss, Sequestrum (bony / other), Cyst (filled / empty), Fracture (single / multiple breaks; sharp / rounded edges; open to surface; callus on outside / inside of bony surface), Luxation / Dislocation, Mass, Abnormal foci, Fluid (edema), Foreign Body, Other: _____
 Joint surface: discolored / roughened / pitted / erosion / ulcer / proliferative / degenerative disease
Location: Bone / Joint _____; Joint surface, space, capsule
 Proximal, Middle, Distal 1/3rd of bone; Physis, Metaphysis, Diaphysis; Vertebral Body, Process
 Bone surface (outside / inside), Bone Cortex (one / both), Bone marrow cavity
 Associated soft tissue (tendon, ligament, muscle, other: _____)
Description & Comments: (2) shoulder joint - smooth, joint fluid clear