

From: Morten Haug Emilsen  
Sent: Sun Aug 29 10:08:08 2010  
To: 'Wall, Dave'  
Subject: RE: Recommendations for the report  
Importance: Normal  
Attachments: add\_wellflow\_Deepwater\_Horizon\_r5.doc

Dave,

Please find the enclosed report. The word version is attached to this email whilst the PDF version is sent in a separate mail.

I have also updated my timesheet where I've added three days for the updates performed after I left Houston. If you agree, I would appreciate a signed copy in return. (Our accountants' department is stressing me on invoices and timesheets....).

Appreciate to be informed when the report goes public, thanks.

Best regards,  
Morten

From: Wall, Dave [mailto:dave.wall@bp.com]  
Sent: 28. august 2010 18:02  
To: Morten Haug Emilsen  
Subject: Recommendations for the report  
Importance: High

Morten,

These are the final suggestions (all marked in track changes) from the team leaders following one last review. We go to publish the report next week so there will be no more changes after these proposals. Mostly very minor changes suggested and these focus on wording changes rather than anything significant from a technical perspective. The only area of the report where there are quite a few suggestions is in the conclusions section right at the front of your report.

Also could you please correct the typos in the following figures.

Figure 3.12 - **through** is spelt incorrectly.

Figure 3.13 - **through** is spelt incorrectly.

Figure 3.28 - **Pressure** spelt incorrectly once in the legend

<<add\_wellflow\_Deepwater\_Horizon\_r5.doc>>

I would really appreciate it if you could try to complete your review over the weekend and get your FINAL report back to me before end of the day Sunday.


Thanks for all your help with this.

Dave

*David Wall*

CONFIDENTIAL

AE-HZN-2179MDL00092415



*VP HSE & IM*

*EPT - HSE, Operations & Engineering*

07748180428

CONFIDENTIAL

AE-HZN-2179MDL00092416