

INTERVENTIONS

CHOKER COFLEX JUMPER HOSE REMOVED FOR KILL OPERATIONS
PICT. 2384 - 2386

4 OF 6 PBOF CABLES
ARE CUT AT RLB INCLUDING
1 FOR INCLINOMETER BLUE SIDE
2 FOR YELLOW + BLUE POD
1 FOR PIT SENSOR ON LMRP
FOR POD REMOVAL
PICT. 2418, 2419

KILL COFLEX JUMPER HOSE REMOVED FOR KILL OPERATIONS
PICT. 2401 - 2403

BLUE
OPEN AND CLOSE
HOSES CUT APPROX
8 FT. FROM SHUTTLE
VALVES
PICT. 2366 - 2372
HOSE PIN 2390N-08V12

FAILSAFE OPEN
BLUE "CLOSE" HOSE
CUT 5 FT. FROM SHUTTLE
VALVE FOR RDV
INTERVENTION
PICT. 2373-2381
HOSE PIN 2390N-08V12

BLUE
CLOSE HOSE CUT 6 FT. FROM
SHUTTLE VALVE. RDV RECEPTACLE
INSTALLED PICT. 2335, 2359, 2382, 2383

YELLOW "CLOSE"
HOSE CUT 6 IN. ABOVE JUNCTION PLATE
ON LMRP. RDV RECEPTACLE INSTALLED
TO LMRP. ANNULAR WITH GUAGE
PICT. 2360, 2364

HOSE 5
GREEN 1/2" PIN 2390N-08V13 TAG
GREEN 1" PIN 2390N 222161616C13-1
BLACK 1-1/2" PIN 23956/131381100
HOSE 3
GREEN 1/2" TAG PIN 2390N 21210080808C13-18
GREEN 1" TAG PIN 222161616C13-12
BLACK 1-1/2" PIN SKIVE 78L-24
EN 556/131381100

WATER DEPTH	A	B	C
0	1000	3000	1500
500	1500	3500	1500
1000	1500	3500	2000
1500	2000	4000	2000
2000	2000	4000	2500
3000	2500	4500	3000
4000	3000	5000	3500
5000	3500	5500	4000
6000	4000	5500	4500
7000	4500	5500	5000
8000	5000	5500	5500
9000	5500	5500	5500

- NOTES:
1. ACCUMULATOR ITEM NUMBERS ARE SHOWN ON BOM 2185089-21
 2. SEE PRECHARGE TABLE FOR PRECHARGE INFO

SURFACE TREATMENT		DO NOT SCALE	
UNLESS OTHERWISE SPECIFIED		DATE: 7/13/1999	
BY: J. Williams	DATE: 7/13/1999	APPROVED: R. Arbor	
BY: L. Mitchell	DATE: 6/13/2002	APPROVED: R. Arbor	
BY: R. Arbor	DATE: 6/13/2002	APPROVED: R. Arbor	
EST. WEIGHT:	SUPERSEDES:	SCALE:	
REVISIONS		SCALE:	
REV. BY: M. Claessens		DATE: 09/13/04	
CAMRON CONTROLS		CAMRON CONTROLS Corp.	
STACK FLOW DIAGRAM		F.A. Box 1101	
F.A. Box 1101		Houston, TX 77241-1211	
SHEET: 1 of 3		DRAWING NUMBER: SK-122124-21-05	

INTERVENTIONS


YELLOW POD MUX CABLE
CUT AT POD AND ABOVE
LMRP FOR POD REMOVAL
PICT. 2404-2417

YELLOW POD SUPPLY
HOSE CUT AT POD FOR
POD REMOVAL
PICT. 2387-2393

HOSE EN 856/R13/B8/1001

BLUE POD MUX CABLE
CUT AT POD AND ABOVE
LMRP FOR POD REMOVAL
PICT 2404 - 2417

BLUE POD SUPPLY
HARD PIPE CUT AND HOSE
REMOVED FOR POD REMOVAL
PICT 2394-2400



1/4" SHUTTLE VALVE ARRANGEMENT
TUBING CUT FROM DEADMAN,
ACCUM. DUMP, RIGID CONDUIT FLUSH,
RIGID CONDUIT ISOLATOR, LMRP
ACCUM. CHARGE FOR ROV
INTERVENTION R & B FALCON
PICT 2508-2516 "DEEPWATER HORIZON"

4/23/2010 1:45:52 PM SAP-CORONADOR SK-122124-21-05_001_000_00_CURRENT_CCP100.TIF

SURFACE TREATMENT		DO NOT SCALE	
UNLESS OTHERWISE SPECIFIED		DATE: 10/1/1999	
X ± 1		DESIGNED BY: R. Davis	
X ± 0.3		CHECKED BY: L. Mitchell	
X ± 0.015		APPROVED BY: R. Arbor	
EST. HEIGHT:		SCALE:	
SUPERSEDES:		DATE: 6/13/2002	
TOTAL USE BOX:		DATE: 09/13/04	
2020724-21		REV: 1	
J of 3		SK-122124-21-05	

COOPER CAMERON Corp.
CAMERON Controls
P.O. Box 1215
Houston, TX 77258-1215

STACK FLOW DIAGRAM