

From: Loos, Jaime L
To: Steele, Debbie D
Sent: 4/21/2010 6:45:37 PM
Subject: RE: BP Macondo Prospect Rotary Inventory

It's really sad that they didn't get better recovery of samples!! L This won't give us much to work with.

From: Steele, Debbie D
Sent: Wednesday, April 21, 2010 1:43 PM
To: Loos, Jaime L
Subject: RE: BP Macondo Prospect Rotary Inventory

They do look iffy. Hope we can get them some useful data. One of the news reports I read said that rig was costing

From: Loos, Jaime L
To: Steele, Debbie D
Sent: 4/21/2010 6:45:37 PM
Subject: RE: BP Macondo Prospect Rotary Inventory

It's really sad that they didn't get better recovery of samples!! L This won't give us much to work with.

From: Steele, Debbie D
Sent: Wednesday, April 21, 2010 1:43 PM
To: Loos, Jaime L
Subject: RE: BP Macondo Prospect Rotary Inventory

They do look iffy. Hope we can get them some useful data. One of the news reports I read said that rig was costing them \$500,000 per day and these are all they have to show for it.

From: Loos, Jaime L
Sent: Wednesday, April 21, 2010 1:25 PM
To: Steele, Debbie D
Subject: RE: BP Macondo Prospect Rotary Inventory

As far as I'm aware.

Have you looked at the ct scans? They are really ugly....

<https://secure.weatherfordlabs.com/AIPprototype/WellRoot/WellICTScansPlugTOC.asp?q5BBrw=YZXRS>