

Accession Number 13-Z066

Report Date:

6/6/2013

Institution:

NOAA

Contact: Dr. Teri Rowles

Address:

1315 East-West Hwy

Silver Spring MD

20910

Species: Tursiops truncatus

Sample type: lung

ID# 99IMMS060911

House Name

Other ID:

Tests Requested:

Brucella sp. real-time PCR

Test Results:

Negative

Comments



Accession Number 13-Z067

Report Date:

6/6/2013

Institution:

NOAA

Contact: Dr. Teri Rowles

Address:

1315 East-West Hwy

Silver Spring MD

20910

Species: Tursiops truncatus

Sample type: lung

ID# 66IMMS031811

House Name

Other ID:

Tests Requested:

Brucella sp. real-time PCR

Test Results:

Positive

Comments

Brucella sp. DNA was amplified from the submitted sample.

Sequencing is pending to further identify the species of Brucella within

this sample.



Accession Number 13-Z068

Report Date:

6/6/2013

Institution:

NOAA

Contact: Dr. Teri Rowles

Address:

1315 East-West Hwy

Silver Spring MD

20910

Species: Tursiops truncatus

Sample type: lung

ID # 89IMMS042011

House Name

Other ID:

Tests Requested: Brucella sp. real-time PCR

Test Results:

Negative

Comments



Accession Number 13-Z069

Report Date:

6/6/2013

Institution:

NOAA

Contact: Dr. Teri Rowles

Address:

1315 East-West Hwy

Silver Spring MD

20910

Species: Tursiops truncatus

Sample type: lung

ID# 90IMMS042311

House Name

Other ID:

Tests Requested:

Brucella sp. real-time PCR

Test Results:

Negative

Comments



Accession Number 13-Z070

Report Date:

6/6/2013

Institution:

NOAA

Contact: Dr. Teri Rowles

Address:

1315 East-West Hwy

Silver Spring MD

20910

Species: Tursiops trucnatus

Sample type: lung LN

ID# 02IMMS010912

House Name

Other ID:

Tests Requested:

Brucella sp. real-time PCR

Test Results:

Negative

Comments